

CERTIFICATE OF ENGINEERING ACCEPTANCE

This certificate formally records that the following vehicle(s) conform to the appropriate requirements as set out in RIS-1530-PLT.

NAME OF VEHICLE ACCEPTANCE BODY

Interfleet Technology Ltd

ACCREDITATION CODE

IF

Vehicle Class / Type

Road Rail Vehicle Caterpillar D4H Dozer - Type 9A

Vehicle Operator

Ready Power Engineering Ltd

Vehicle Owner

Ready Power Engineering Ltd

Authorised by: 

Chris Wheatley
Interfleet Technology Ltd

Issue Date

20 November, 2009

Expiry Date

20 November, 2016

(Where applicable due to a special limitation)

Interfleet
Technology
OFFICIAL STAMP

Vehicle Number(s)

99709_914021-9

Special Limitations

A CONFIGURATION

1. RRV is driven and braked through rail wheels in contact with the rails.
2. Permitted number of personnel to be carried: 1 in cab. It has no load carrying capability.

B ON & OFF TRACKING AND EMERGENCY RECOVERY

1. For on/off tracking, a site-specific work plan for one of the following conditions shall be used. The work plan shall be in compliance with Rexquote Manual RQM10034 and Network Rail Specification NR/L2/RVE/0007:-
 - > Maximum track cant 100mm and/or gradient 1:29, on an approved RRAP.
 - OR
 - > A risk assessed procedure that is specific to the on and off tracking point.
2. For recovery refer to Rexquote Manual RQM10034. Maximum speed 3mph (5km/h) to avoid damage to the RRV.

C LIMITATIONS OF USE

1. It shall only operate inside possessions.
2. If adjacent lines are open to traffic, it shall only be used in accordance with the Method Statement for the possession and only if the safe system of work has taken account of gauge exceedance.
3. It shall NOT on/off-track, travel or work on live conductor-rail lines.
4. It shall NOT on/off track, travel or work under live OLE except as C5 .
5. It may on/off track at a level crossing or travel under live OLE in accordance with the Method Statement for the possession as determined and approved in accordance with the requirements of GE/RT8024.
OLE minimum wire height 4.165m.

Customer Copy

Certificate No: IF/0572/09

6. When under live OLE there shall be NO access onto the RRV, except the cab.
7. For access/egress, the RRV shall only operate with the door to the cab adjacent to a cess or a line closed to all train movements, or the safe system of work takes account of adequate clearances to adjacent lines.
8. Maximum track cant 200mm and/or gradient 1/29.
9. Maximum permitted speed - 20mph, switches and crossings - 5mph.
10. Not permitted to tow or propel other rail vehicles

D GAUGE

RRV on rail is within W6a gauge and exception as allowed by RIS-1530-PLT.

Referenced Certificates

This Certificate of Engineering Acceptance has been issued in accordance with GM/RT2000 Issue 2, on the basis of the following Certificates of Conformance and previous Certificates of Engineering Acceptance.

Supporting Certificates**Vehicle Design****Vehicle Construction****Vehicle Maintenance**

IF/MP/0312/09

Superseded Certificates**Engineering Acceptance**

Reasons for non inclusion of a Certificate of Conformance or a Certificate of Engineering Acceptance:-
No previous Engineering Acceptance Certificate against RIS-1530-PLT.
Vehicle Design and Construction Certificates not applicable.

RGS Catalogue

The Mandatory Requirements and scope of work against which conformance has been confirmed:
Railway Group Standard Catalogue number GA/RM6501 Issue 5 October 2009

Vehicle Data

Route Availability No:	(Laden)	No Change	(Tare)	No Change
Maximum Speed (mph):	(Laden)	20	(Tare)	20
Applicable Gauge or Portfolio Reference :	W6a as RIS-1530-PLT			
Minimum Curve Radius:	80m			
Applicable Braking Curve(s):	Road/Rail Vehicles RIS-1530-PLT Clause 5.6.2.1			

Mandatory Data for Inclusion in RSL

NONE

Scope of Work

Certification of Road-Rail Vehicle, Caterpillar D4H Dozer, Serial No. 8PB000552, Rexquote 1470,
ReadyPower Fleet No: FR217.
Re-assessed for compliance with RIS-1530-PLT Issue1.
New Maintenance Plan.
Expiry date conforms to the requirements of RIS-1530-PLT, Issue 1

Additional Information

Superseded certificate: IF/0529/09 - Rexquote 1470.

**CERTIFICATE OF CONFORMANCE FOR
VEHICLE MAINTENANCE**

This certificate formally records that the following vehicle(s) conform to the appropriate requirements as set out in
RIS-1530-PLT.

NAME OF CERTIFICATION BODY

Interfleet Technology Ltd


ACCREDITATION CODE

IF

Vehicle Type / Class Road Rail Vehicle Caterpillar D4H Dozer - Type 9A


Vehicle Operator Ready Power Engineering Ltd

Vehicle Owner Ready Power Engineering Ltd

Authorised by: 
Bryan Lowe
Interfleet Technology Ltd

Issue Date 19 November, 2009

Expiry Date 19 November, 2016
(Where applicable due to a special limitation)



Interfleet
Technology
OFFICIAL STAMP

Vehicle Number(s)

99709_914021-9

Special Limitations

None

Maintenance Plan Documentation

<u>Plan Name / Description</u>	<u>Issue</u>	<u>Issue Date</u>
Caterpillar DH4 Rail Mounted Bulldozer Operating and Maintenance Manual RQM10034	1	14/01/2009

RGS Catalogue

The Mandatory Requirements and scope of work against which conformance has been confirmed:
Railway Group Standard Catalogue number GA/RM6501 Issue 5 October 2009

Vehicle Data

Applicable Gauge or Portfolio Reference : W6a as RIS-1530-PLT

Scope of Work

Certification of Road Rail Vehicle Caterpillar D4H Dozer.

Customer Copy

Certificate No: IF/MP/0312/09



This Certificate of Conformance for Vehicle Maintenance has been issued on the basis of confirmation of conformance with the Mandatory Requirements.

Serial No. 8PB0000552. Rexquote 1470, Readypower FR217.

New maintenance plan, assessed for compliance with RIS-1530-PLT, Issue 1.

Expiry date conforms to the requirements of RIS-1530-PLT.